

SAFETY DATA SHEET

Issuing Date 15-Feb-2012

Revision Date 08-Jun-2017

Revision Number 2

(U)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION		
Product identifier		
Product Name	Jet-Lube 21®	
Other means of identification		
Product Code(s)	109, 110, 11530	
Recommended use of the chemical and restrictions on use		
Recommended Use	Lubricants, Greases and Release Products	
Uses advised against	No information available	
Details of the supplier of the safety	v data sheet	
Supplier Identification	Jet-Lube LLC	
Address	Jet Lube LLC 930 Whitmore Drive Rockwall, Texas USA 75087 TEL: +1-713-670-5700 (8am-5pm CST)	
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108	
E-mail	Sales@jetlube.com	
Emergency telephone number		
Company Emergency Phone Number	+1-780-463-7441	
Emergency Telephone Number	US/CANADA: 1-800-633-8253 INTERNATIONAL: 001-801-629-0667	
2. HAZARDS IDENTIFICATION		

Classification

Serious eye damage/eye irritation

Category 2B



Appearance Copper Bronze

Physical state Gel

Odor Petroleum

GHS Label elements, including precautionary statements

Warning

Hazard statements

Causes eye irritation

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed Causes mild skin irritation

Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity 23.0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic	74869-21-9	65-75	-	-



salts of alkali metals, alkaline earth metals, etc.				
Graphite	7782-42-5	5-10	-	-
Limestone	1317-65-3	5-10	-	-
Mica	12001-26-2	1-5	-	-
Copper	7440-50-8	1-5	-	-

4. FIRST AID MEASURES

First aid measures	
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	TWA: 2 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ respirable
	except graphite fibers	TWA: 5 mg/m ³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m ³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Limestone	-	TWA: 15 mg/m ³	TWA: 5 mg/m ³ respirable dust
1317-65-3		TWA: 5 mg/m ³	TWA: 10 mg/m ³ total dust
		(vacated) TWA: 15 mg/m ³	
		(vacated) TWA: 5 mg/m ³	
Mica	TWA: 3 mg/m ³	TWA: 20 mppcf (<1% crystalline	IDLH: 1500 mg/m ³ containing
12001-26-2		silica)	<1% quartz

			3 mg/	m ³ (vacated)	TWA	: 3 mg/m ³ respirable dust
Copper	TWA: 0.2 mg/r	m³ fume		.1 mg/m ³ fume	IDLH	H: 100 mg/m ³ dust, fume
7440-50-8				/m ³ dust and mist		and mist
			(vacated) T	WA: 0.1 mg/m ³ Cu	TWA	: 1 mg/m ³ dust and mist
			dust	, fume, mist	T	WA: 0.1 mg/m ³ fume
Chemical name	Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 2 mg/m ³
Limestone 1317-65-3	TWA: 10 mg/m ³	TWA: 3	0 mg/m ³ 8 mg/m ³ 0 mg/m ³			TWA: 10 mg/m ³
Mica 12001-26-2	TWA: 3 mg/m ³	TWA: 3	3 mg/m³	TWA: 3 mg/m	3	TWA: 3 mg/m ³
Copper	TWA: 0.2 mg/m ³		mg/m ³	TWA: 0.2 mg/n		TWA: 0.2 mg/m ³
7440-50-8	TWA: 1 mg/m ³	TWA: 0.	2 mg/m ³	TWA: 1 mg/m	3	TWA: 1 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Gel	
Copper Bronze	
Petroleum	
No information available	
Not applicable	
Values	Remarks Method
7	
232 °C	None known
260 °C	
> 221 °C	
No data available	None known
No data available	None known
	None known
No data available	
No data available	
	Copper Bronze Petroleum No information available Not applicable Values 7 232 °C 260 °C > 221 °C No data available No data available No data available



Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.10	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not applicable	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%) None	None	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
	Orather excision

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	Not an expected route of exposure. Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 2,280.00 mg/kg

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

23.0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Irritating to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-



predominantly in the			
range of C12 through			
C50. may contain organic			
salts of alkali metals,			
alkaline earth metals, etc.			
Copper	EC50 96 h: 0.031 - 0.054 mg/L static (Pseudokirchneriella subcapitata) EC50 72 h: 0.0426 - 0.0535 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: 0.0068 - 0.0156 mg/L (Pimephales promelas) LC50 96 h: < 0.3 mg/L static (Pimephales promelas) LC50 96 h: = 0.052 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.112 mg/L flow-through (Poecilia reticulata) LC50 96 h: = 0.2 mg/L flow-through (Pimephales promelas) LC50 96 h: = 0.3 mg/L semi-static (Cyprinus carpio) LC50 96 h: = 0.8 mg/L static (Cyprinus carpio) LC50 96 h: = 1.25 mg/L	EC50 48 h: = 0.03 mg/L Static (Daphnia magna)
		static (Lepomis macrochirus)	
		macroomrady	
Persistence and Degrada	bility No information	on available.	
Bioaccumulation	There is no o	data for this product.	

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Copper	Toxic
7440-50-8	

14. TRANSPORT INFORMATION

DOT

NOT REGULATED



Proper Shipping Name Hazard Class	NON REGULATED N/A
TDG	NOT REGULATED
<u>MEX</u>	NOT REGULATED
ICAO	NOT REGULATED
IATA Proper Shipping Name	NOT REGULATED NON REGULATED
IMDG/IMO	NOT REGULATED
RID	NOT REGULATED
ADR	NOT REGULATED
ADN	NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Complies.
ENCS	Contact supplier for inventory compliance status.
KECL	Not determined.
PICCS	Complies.
AICS	Not determined.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\ensuremath{\mathsf{DSL/NDSL}}$ - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Copper - 7440-50-8	7440-50-8	1-5	1.0



Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8		Х	Х	

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite 7782-42-5	X	Х	Х	Х	
Limestone 1317-65-3	Х	Х	Х	Х	
Mica 12001-26-2	Х	Х	Х	Х	
Copper 7440-50-8	Х	Х	Х	Х	Х

16. OTHER INFORMATION						
NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -		
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal Protection X		
Prepared By	23 British	Stewardship n American Blvd. NY 12110 '2-6501				
Issuing Date	15-Feb-2012					



Revision Date	08-Jun-2017	

Revision Note Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

